



---

/

---

■

\_\_\_\_\_

■

\_\_\_\_\_

■

■

\_\_\_\_\_

■

\_\_\_\_\_

■

\_\_\_\_\_



---

$$/ \quad = 25 \quad ; |$$

---

---

---

---

---

---

$$/ \quad = 25 \quad ; |$$

---

---

---

---


---


---

$$/ \quad = 25 \quad ; |$$


/  
/  
/  
/

= 25 ; l







/  
= 25




/  
= 25





$$\frac{1}{(25)} = f(T)$$




$$(25) = f(T)$$



/






40 /90% R.H, 15ppm ( )  
 : 25 /75 % R.H, 500  
 ( ) 4







40 /90% R.H

mixed gas test: 25 /75 % R.H, 500hours











:


/

± ± ± ± ± ± ±

/

± ± ± ±





/

/

/

±  
±

±  
±

±  
±

---

$\pm 0.1 \text{ mm}$

$\pm$

$\pm$

$\pm$

$\pm$

$\pm$

$\pm$

with an internal reproducibility of  $\pm 0.05 \text{ V}$  and an expanded uncertainty of  $\pm 0.1 \text{ V}$  (acc. to

with an internal reproducibility of  $\pm 0.5 \text{ nm}$  and an expanded uncertainty of  $\pm 1 \text{ nm}$  (acc. to

with an internal reproducibility of  $\pm 8\%$  and an expanded uncertainty of  $\pm 11\%$  (acc. to GUM